



Automated Self Service Fuel Dispenser 1000 Litres Petrol Station Fuel Pump

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Virette



Product Specification

- Vacuum: 0.04Mpa
- Temperature: -40~55°C
- Tank: 1000L
- Structure: Single-stage Pump
- Automatic Nozzle: TD-20A
- Hose: 3/4" 4M
- Product: One Product Or Two Product
- Flow Rate: 5-50L/Min Or 5-90L/Min
- Highlight: **automated self service fuel dispenser,
1000 litres petrol station fuel pump,
self service fuel dispenser 1000 litres**

For more products please visit us on refueling-equipment.com

Product Description

Pressure 0.2 MPa Gasoline Dispenser Fuel Dispenser for Gas Station -40~55.C Temperature Range

Product Description:

The Fueling Station Dispenser is capable of working under a pressure of 0.2 MPa. It has a Delivery Rate that ranges from 5 to 90L/min, 90 to 150L/min, and 150 to 250L/min, providing a flexible solution for any fueling station. The Register Range of the Fueling Station Dispenser is 0.00 to 999999.99 L, ensuring that you can accurately track the amount of lubricating oil dispensed.

Whether you are operating a small lubricating oil fueling station or a larger one, the Fueling Station Dispenser is the perfect solution. With its reliable performance and accurate measurement, this Fueling Station Dispenser is an essential tool for any fueling station. So, invest in the Fueling Station Dispenser today and take your lubricating oil fueling station to the next level.

Features:

Product Name: Fuel Dispenser

Automatic Nozzle: TD-20A

Product: One Product Or Two Product

Vacuum: 0.04Mpa

Medium: Lubricating Oil

Flow Rate: 5-50L/Min Or 5-90L/Min

Fuel dispenser, Gasoline Dispensing System, Fuel Dispensing Equipment

Technical Parameters:

Product Type:	Gasoline Dispensing System
Temperature:	-40~55°C
Warranty:	12 Months
Product:	One Product Or Two Product
Medium:	Lubricating Oil
Flow Rate:	5-50L/Min Or 5-90L/Min
Vacuum:	0.04Mpa
Working Pressure:	0.2 MPa
Automatic Nozzle:	TD-20A
Hose:	3/4" 4M
Register Range:	0.00~999999.99 L
Applicable Fuel Types:	Diesel fuel dispenser, Gasoline Dispensing System, Diesel fuel dispenser

Applications:

The structure of this product is a single-stage pump, which means that it has a simple yet efficient design that can deliver fuel at a consistent rate. It is available in both single product or two product options to suit different needs and requirements. With a delivery rate of 5 ~ 90L/min, 90~150L/min, and 150~250L/min, this product can efficiently dispense fuel to vehicles of different sizes and capacities.

The Virette Fueling Station Dispenser is suitable for various scenarios and occasions. It is perfect for use in gas stations, fueling stations, and other commercial establishments that require a reliable and efficient fuel dispenser. It can also be used in industrial settings where fuel is required for heavy machinery and equipment.

This product is designed to meet the highest standards of quality and safety. It is built with high-quality materials and is equipped with safety features to prevent accidents and ensure the safe dispensing of fuel.

In conclusion, the Virette Fueling Station Dispenser is a high-quality and reliable product that is perfect for various applications and scenarios. Whether you are running a gas station or an industrial facility, this gasoline dispenser is a must-have for efficient and safe fuel dispensing.

Customization:

Customize your Virette Fuel Dispenser with our product customization services. Our Fuel Dispensing Equipment is made in China and comes with a single-stage pump suitable for Diesel fuel dispenser. Choose between a one product or two product dispenser and enjoy a temperature range of -40~55°C. The register range is 0.00~999999.99 L and it operates on a voltage of 220VAC.

Packing and Shipping:

Product Packaging:

The Fuel Dispenser product will be packed securely in a cardboard box to protect it from any damage during transit. The box will also have cushioning materials to prevent any movement of the product inside the box. The box will have the product name, description, and other necessary details printed on it for identification.

Shipping:

The Fuel Dispenser product will be shipped via a reliable shipping service provider, such as UPS, FedEx, or DHL. The shipping cost will be calculated based on the destination and the weight of the product. The estimated delivery time will be provided to the customer during the checkout process. The customer will also receive a tracking number to track the shipment status.



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtioneotech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China