



Single Nozzle CNG Natural Gas Car Pump AC220V Natural Gas Gas Pump

Our Product Introduction

For more products please visit us on refueling-equipment.com

Basic Information

- Place of Origin: China
- Brand Name: Virette
- Delivery Time: 20 - 30 days



Product Specification

- Model: CD-100
- Communication Interface: RS485/RS232
- Unit Price Range: 0.01-99.99
- Nozzle: Single Or Dual
- Display: LCD
- Accuracy: $\pm 0.5\%$
- Power Supply: AC 220V/50Hz
- Temperature Range: -25°C To +55°C
- Highlight: ac220v natural gas gas pump,
natural gas car pump ac220v,
single nozzle natural gas car pump

Product Description

CD-100 Compressed Natural Gas Dispenser, Cng Fuel Dispenser, with LCD Display

Product Description:

The CNG Gas Dispenser comes with a powerful communication interface that is compatible with both RS485 and RS232 protocols. This makes it easy to integrate with different types of systems and equipment used in CNG Refueling Stations. The communication interface enables seamless data transfer between the dispenser and other systems, making it easy to monitor and manage the fuel dispensing process.

The CNG Gas Dispenser is designed to operate at a working pressure of 20MPa. This ensures that the dispenser delivers the right amount of pressure to the vehicle being filled up, thereby ensuring efficient and effective refueling. The dispenser is also designed to be highly user-friendly, with simple controls that make it easy for users to operate and control the fuel dispensing process.

The CNG Gas Dispenser is powered by AC 220V/50Hz. This ensures that the dispenser is able to operate reliably and efficiently, even in areas with unstable power supply. The dispenser is also designed to be highly energy-efficient, ensuring that it consumes minimal power while in operation.

The unit price range of the CNG Gas Dispenser is 0.01-99.99. This makes it ideal for use in CNG Refueling Stations of different sizes and capacities. The dispenser is also designed to be highly durable, with high-quality components that are built to last. This ensures that the dispenser delivers reliable and consistent performance over its entire lifespan.

In summary, the CNG Gas Dispenser is a top-of-the-line CNG Fill-Up Machine that is ideal for use in CNG Refueling Stations. It is equipped with an advanced LCD Display, powerful communication interface, and operates at a working pressure of 20MPa. It is also highly user-friendly, energy-efficient, and has a unit price range of 0.01-99.99. Whether you are looking to set up a new CNG Refueling Station or upgrade an existing one, the CNG Gas Dispenser is the perfect choice.

Features:

Product Name: CNG Gas Dispenser

Humidity Range: ≤95%

Temperature Range: -25°C To +55°C

Power Supply: AC 220V/50Hz

Accuracy: ±0.5%

Working Pressure: 20MPa

This CNG Gas Dispenser is a reliable and efficient machine that allows you to easily and accurately dispense natural gas as a fuel for your vehicle. With its humidity range of ≤95% and temperature range of -25°C to +55°C, it is suitable for use in a variety of environments. It operates on AC 220V/50Hz power supply and has an accuracy of ±0.5%. The working pressure for this CNG Fuel Dispenser is 20MPa, making it a great choice for refueling your vehicle with compressed natural gas.

Technical Parameters:

Model	CD-100
Flow Rate	15-25L/min
Accuracy	±0.5%
Display	LCD
Nozzle	Single Or Dual
Hose Length	4m
Temperature Range	-25°C To +55°C
Humidity Range	≤95%
Unit Price Range	0.01-99.99
Power Supply	AC 220V/50Hz

Applications:

The Virette CNG Gas Dispenser is suitable for a variety of product application occasions and scenarios. It can be used in CNG fueling stations, gas stations, and other locations where compressed natural gas is required. The dispenser is designed to work in a humidity range of ≤95%, making it perfect for use in different weather conditions. The working pressure of 20MPa ensures that the dispenser can deliver gas to vehicles quickly and efficiently.

The LCD display on the Virette CNG Gas Dispenser makes it easy to read and monitor the dispenser's performance. The display shows the amount of gas delivered, the price per unit of gas, and other important information. The dispenser is powered by AC 220V/50Hz, which ensures a stable power supply that is suitable for different locations and environments.

The Virette CNG Gas Dispenser is available in single or dual nozzle configurations, making it suitable for businesses with different needs. The single nozzle configuration is ideal for businesses with low to moderate fueling requirements, while the dual nozzle configuration is perfect for businesses with high fueling requirements.

In summary, the Virette CNG Gas Dispenser is a reliable and efficient CNG fueling equipment that is suitable for a variety of product application occasions and scenarios. With its high-quality design, LCD display, and stable power supply, this dispenser is perfect for businesses and individuals looking for a dependable and efficient CNG refueling machine.

Customization:

Packing and Shipping:

Product Packaging:

Dimensions: 60 x 40 x 80 cm

Weight: 50 kg

Materials: Steel frame, plastic panels

Includes: CNG gas dispenser, hoses, connectors, user manual

Shipping Information:

Shipping method: Freight

Delivery time: 7-10 business days

Shipping cost: Calculated at checkout based on location

Shipping restrictions: Cannot be shipped to P.O. boxes or APO/FPO addresses



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtiontech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China