

15L-25L Compac CNG Dispenser 4m Hose Gas Station Fuel Pump Economy

Basic Information

Place of Origin: China Brand Name: Virette

• Delivery Time: 20 - 30 days



Product Specification

• Flow Rate: 15-25L/min

• Display: LCD

• Unit Price Range: 0.01-99.99

• Total Price Range: 0.01-999999.99

Accuracy: ±0.5%
 Hose Length: 4m

. -

• Temperature Range: -25°C To +55°C

• Model: CD-100

• Highlight: 25I compac cng dispenser,

gas station fuel pump economy, compac cng dispenser 4m hose

Product Description

CD-100 Economy 15L-25L CNG Gas Dispenser With LCD Display Temperature Range -25°C To 55°C

Product Description:

The CNG Fill-Up Machine is equipped with an LCD display that allows the user to monitor the fueling process. This display provides information such as the amount of gas dispensed, the total cost of the fuel, and any other relevant data. With this feature, the user can easily keep track of their fuel consumption and expenses.

The CNG Fill-Up Machine is designed to operate in a range of humidity conditions. It can handle humidity levels of up to 95%, which ensures that it can function well even in environments with high humidity. This feature makes it suitable for use in different climates and regions.

The CNG Fill-Up Machine is also equipped with communication interfaces such as RS485/RS232. These interfaces allow the machine to communicate with other devices, such as fuel management systems and vehicle tracking systems. With this feature, the user can easily integrate the machine into their existing infrastructure and optimize their fueling operations.

Overall, the CNG Fill-Up Machine is a reliable and efficient tool for refueling vehicles that run on compressed natural gas. With its user-friendly design, LCD display, humidity tolerance, and communication interfaces, it offers a complete package for managing fueling operations. The total price range of the CNG Fill-Up Machine is 0.01-99999.99, which makes it an affordable and cost-effective solution for businesses and individuals who want to switch to compressed natural gas as a fuel source.

Features:

Product Name: CNG Gas Dispenser

Nozzle: Single Or Dual
Power Supply: AC 220V/50Hz

Model: CD-100

Temperature Range: -25°C To +55°C

Hose Length: 4m

Introducing the CNG Gas Dispenser, the perfect solution for your Natural Gas Dispensing System needs. This dispenser comes equipped with a single or dual nozzle, making it versatile for all your CNG Distribution Pump requirements. The CD-100 model ensures a reliable and efficient performance, and its temperature range of -25°C to +55°C make it suitable for use in various environments. The dispenser also comes with a 4m hose length, providing flexibility and convenience for your refueling needs.

Technical Parameters:

Product Attribute	Value
CNG Fueling Equipment	CD-100
Accuracy	±0.5%
Working Pressure	20MPa
Nozzle	Single Or Dual
Display	LCD
Unit Price Range	0.01-99.99
Power Supply	AC 220V/50Hz
Hose Length	4m
Flow Rate	15-25L/min
Humidity Range	≤95%
CNG Refueling Machine	CD-100
CNG Fill-Up Machine	CD-100

Applications:

The Virette CNG Filling Station Dispenser is ideal for use in fuel stations, transportation companies, and industrial facilities. It is a reliable and cost-effective solution for dispensing compressed natural gas to vehicles and machinery. The dispenser is equipped with an AC 220V/50Hz power supply and an LCD display, ensuring a smooth and user-friendly operation.

The Virette CNG Filling Station Dispenser guarantees an accuracy of $\pm 0.5\%$, ensuring that customers receive the exact amount of fuel they need. The dispenser is also designed to handle a wide range of fuel prices, with a total price range of 0.01-999999.99. This makes it suitable for use in various fueling scenarios, from small private fleets to large commercial vehicles.

The Virette CNG Filling Station Dispenser is also built to last, with durable materials and a sturdy construction. It is designed to withstand harsh weather conditions and heavy usage, making it an ideal solution for outdoor fueling stations and industrial settings.

Whether you are looking for a reliable and efficient fueling solution for your transportation company, industrial facility, or fuel station, the Virette Compressed Gas Fuel Dispenser is the perfect choice. With its advanced features, durable design, and affordable pricing, it is a must-have for any business that relies on compressed natural gas as a fuel source.

Customization:

Customize your Virette brand Compressed Natural Gas Dispenser with our product customization services. Our CNG dispensing system is manufactured in China and has a delivery time of 20-30 days. The communication interface is available in RS485/RS232 and power supply in AC 220V/50Hz. The flow rate of the CD-100 model is 15-25L/min. You can personalize your dispenser according to your needs and budget as the unit price range is 0.01-99.99.

Packing and Shipping:

Product Packaging:

- 1 CNG gas dispenser
- 1 User manual
- 1 Set of installation hardware

Shipping:

Shipping method: Ground Shipping Estimated delivery time: 5-7 business days

Shipping cost: \$50

Shipping restrictions: This product can only be shipped within the United States.



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtiontech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China