

Quick Filling CNG Gas Pump 15L/Min-25L/Min Automated Gas Dispenser

Basic Information

Place of Origin: ChinaBrand Name: Virette

• Delivery Time: 20 - 30 days



Product Specification

Nozzle: Single Or DualPower Supply: AC 220V/50Hz

• Hose Length: 4m

• Unit Price Range: 0.01-99.99

Humidity Range: ≤95%Accuracy: ±0.5%

• Total Price Range: 0.01-999999.99

• Working Pressure: 20MPa

• Highlight: cng gas pump 15I, cng gas pump 15I/min,

25I/min automated gas dispenser

Product Description

Quick and Convenient Filling CNG Gas Dispenser 15-25 L/min Flow Rate

Product Description:

One of the key features of this CNG Gas Dispenser is its working pressure of 20MPa, which ensures that the gas is dispensed quickly and efficiently. This makes it an ideal choice for busy gas stations, where customers expect a fast and reliable service. The dispenser has a Unit Price Range of 0.01-99.99, which means that it can accommodate a range of budgets and pricing strategies.

In addition to its performance capabilities, this Natural Gas Dispensing System is also designed to be user-friendly and easy to operate. The LCD display provides clear and accurate information about the amount of gas dispensed, as well as the total price charged. This makes it easy for customers to track their fuel consumption and keep their costs under control.

The Total Price Range of the CNG Fuel Dispenser is 0.01-999999.99, which means that it can handle large volumes of gas and accommodate customers with a wide range of fuel needs. Whether you are running a small gas station or a large industrial facility, this Compressed Gas Fuel Dispenser is a reliable and efficient choice.

Overall, the CNG Gas Dispenser is an essential tool for any business that needs to dispense Natural Gas to vehicles. With its high-quality construction, user-friendly design, and reliable performance, this Natural Gas Dispensing System is a must-have for any gas station or industrial facility.

Features:

Product Name: CNG Gas Dispenser

Working Pressure: 20MPa Nozzle: Single Or Dual Display: LCD

Flow Rate: 15-25L/min Model: CD-100

Keywords: CNG Distribution Pump, CNG Refueling Machine, CNG Distribution Pump

Technical Parameters:

Power Supply	AC 220V/50Hz
Nozzle	Single Or Dual
Working Pressure	20MPa
Accuracy	±0.5%
Temperature Range	-25°C To +55°C
Display	LCD
Hose Length	4m
Total Price Range	0.01-999999.99
Model	CD-100
Flow Rate	15-25L/min

Applications:

The CNG Gas Dispenser is ideal for use in a variety of situations. For example, it can be installed at gas stations, where it can be used to provide customers with a convenient way to fill up their CNG-powered vehicles. It can also be used at industrial sites, where CNG is used as a fuel for machinery and equipment. In addition, the product can be used in public transportation systems, such as buses and taxis, where CNG is often used as a fuel.

The Virette CNG Gas Dispenser comes with a communication interface that supports both RS485 and RS232 protocols. This makes it easy to integrate the product into existing systems and networks. The product also has a humidity range of ≤95%, which means that it can be used in a variety of environments, including areas with high levels of moisture.

The hose length of the Virette CNG Gas Dispenser is 4m, which provides users with plenty of flexibility when it comes to filling up their vehicles. The product is also durable and reliable, thanks to its high-quality construction and components. This makes it an excellent investment for businesses and organizations that rely on CNG as a fuel source.

In summary, the Virette CNG Gas Dispenser is a versatile and reliable product that is ideal for use in a variety of settings. Whether you are looking to install it at a gas station, an industrial site, or a public transportation system, the CNG Fill-Up Machine will provide you with a convenient and efficient way to fill up your CNG-powered vehicles. With its high-quality construction, advanced communication interface, and durable components, the Virette CNG Fuel Dispenser is an excellent investment that will provide you with years of reliable use.

Customization:

Customize your Virette CNG Fill-Up Machine to fit your specific needs. Our product is made in China and has a delivery time of 20-30 days. The model number CD-100 is designed to work with a working pressure of 20MPa and has a hose length of 4m. Choose between a single or dual nozzle option and select a flow rate of 15-25L/min to meet your CNG fueling needs.

Packing and Shipping:

Product Packaging:

1 CNG Gas Dispenser

User Manual

Shipping:

Ships within 2 business days

Free shipping within the US

International shipping available with additional charges



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtiontech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China